

# Fungicides for Late Blight Control

Product	Active ingredient		Application rate/ha	Maximum applications	Distance to be kept from waters	€/ha <sup>1)</sup>
		g/kg or l				
<b>Contact fungicides</b>						
Carneol, Terminus	Fluazinam	500	0.4 l	8	NW 10(5/5/*)m	13 - 15
Polyram WG	Metiram	700	1.8 kg	5	NW -(15/10/5)m	19
Ranman Top	Cyazofamid	160	0.5 l	6	NW 5(*/*/*)m	34
Shirlan, Nando 500 SC, Ohayo	Fluazinam	500	0.4 l	10	NW 10(5/5/*)m	15
<b>localsystemic fungicides</b>						
Banjo forte	Dimethomorph + Fluazinam	200 + 200	1.0 l	4	NW 10(5/5/*)m	32
Carial Flex	Cymoxanil + Mandipropamid	180 + 250	0.6 kg	6	NW*(/*/*/*)	35
Plexus	Cymoxanil + Fluazinam	200 + 300	0.6 l	6	NW 15(10/5/5)m	?
Presidium	Dimethomorph + Zoxamide	180 + 180	1.0 l	5	NW 5(5/5/*)m	?
Reboot	Cymoxanil + Zoxamide	330 + 330	0.45 kg	6	NW 5(5/*/*)m	?
Revus	Mandipropamid	250	0.6 l	4	NW*(/*/*/*)	31
Revus-Ortiva Pack	Mandipropamid + Azoxystrobin	250 + 250	0.6 l + 0.5 l	3/**	NW 5(*/*/*)m	48
Revus Top	Mandipropamid + Difenconazol	250 + 250	0.6 l	3	NW 5(5/5/*)m	40
<b>systemic fungicides</b>						
Infinito	Propamocarb + Fluopicolide	625 + 62.5	1.6 l	4	NW 5(*/*/*)m	39
Rival Duo Pack	Cymoxanil + Propamocarb + Fluazinam	50 + 335 + 500	2.0 l + 0.4 l	1	NW 10(5/5/*)m	58
Zorvec Endavia	Benthiavalicarb + Oxathiapiprolin	62 + 30	0.4 l	4	NW*(/*/*/*)	43
<b>fungicides for Alternaria</b>						
Dagonis	Fluxapyroxad + Difenconazol	75 + 50	0.75 l	4/**	NW 5(*/*/*)m	38
Narita	Difenconazol	250	0.5 l	1	NW 5(5/*/*)m	20
Ortiva, Zaftra AZT 250 SC	Azoxystrobin	250	0.5 l	3/**	NW 5(*/*/*)m	17
Propulse	Prothioconazol + Fluopyram	125 + 125	0.5 l	3	NW 5(*/*/*)m	26
Signum	Pyraclostrobin + Boscalid	67 + 267	0.25 kg	4/**	NW 5(*/*/*)m	17
Zoxis Super	Azoxystrobin	250	0.25 l	2/**	NW*(/*/*/*)	?

<sup>1)</sup> Costs are VAT included!; NW-requirements are requirements for water pollution control.

The overview was prepared to the best of our knowledge but no guarantee can be given for completeness and accuracy. The instructions for use are binding!

**The application of the product in areas neighbouring surface waters may only be carried out with "loss reducing equipment"**

\* Observe country-specific regulations and specifications of the Plant Protection Application Ordinance regarding the distance to water bodies!;

\*\* There exists a widespread resistance by Alternaria Species against the product, therefore it should only be applied once

last update: march 2022

